

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re U.S. Patent No. 7,086,180	)	Serial No. 10/767,212
	)	
Inventor(s): Frederick J. DOJAN et al.	)	Filed: January 28, 2004
	)	
Issue Date: August 8, 2006	)	Attorney Docket No. 005127.00277

For: ARTICLE OF FOOTWEAR HAVING A FLUID-FILLED BLADDER WITH A  
REINFORCING STRUCTURE

**REQUEST FOR CERTIFICATE OF CORRECTION**

U.S. Patent and Trademark Office  
Customer Service Window  
Randolph Building, Mail Stop: Certificate of Correction Branch  
401 Dulany Street  
Alexandria, VA 22314

Sir:

Pursuant to 35 U.S.C. § 254 and 37 C.F.R. § 1.322, this is a request for the issuance of a Certificate of Correction in the above-identified patent. One (1) copy of PTO Form 1050 is appended. The complete Certificate of Correction involves 1 page.

The mistakes identified in the appended Form occurred through no fault of the Applicants, as clearly disclosed by the records of the application, which matured into this patent. Enclosed for your convenience are the relevant portions of the Amendment filed March 8, 2006.

Issuance of the Certificate of Correction containing the corrections is respectfully requested. Because these changes are necessitated through no fault of the Applicants, no fee is believed to be associated with this request. Nonetheless, should the Patent and Trademark Office determine that a fee is required, please charge our Deposit Account No. 19-0733.

Respectfully submitted,

BANNER & WITCOFF, LTD.

Dated: December 19, 2007  
Banner & Witcoff, Ltd  
1100 13<sup>th</sup> Street, N.W., Suite 1200  
Washington, D.C. 20005-4051  
(202) 824-3000

By: /William F. Rauchholz/  
William F. Rauchholz  
Registration No. 34,701

UNITED STATES PATENT AND TRADEMARK OFFICE

**CERTIFICATE OF CORRECTION**

PATENT NO.: 7,086,180  
DATED: August 8, 2006  
INVENTOR(S): Frederick J. DOJAN et al.

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In Claim 1, Column 23, Line 50:  
Please delete "apposite" and insert --opposite--

In Claim 1, Column 23, Line 66:  
Please delete "first area. being" and insert --first area being--

In Claim 3, Column 24, Line 5:  
Please delete "sale" and insert --sole--

In Claim 8, Column 24, Line 20:  
Please delete "stiffliess" and insert --stiffness--

In Claim 16, Column 24, Line 51:  
Please delete "stmcture" and insert --structure--

In Claim 17, Column 24, Line 57:  
Please delete "sale" and insert --sole--

In Claim 19, Column 24, Line 67:  
Please delete "end" and insert --and--

In Claim 23, Column 25, Line 14:  
Please delete "arc" and insert --are--

In Claim 29, Column 26, Line 9:  
Please delete "baffler" and insert --barrier--

In Claim 32, Column 26, Line 18:  
Please delete "m" and insert --in--

Mailing Address of Sender:

Banner & Witcoff, Ltd.  
1100 13th Street, N.W.  
Washington, DC 20005

U.S. PAT. NO 7,086,180

No. of add'l copies

□